SAFETY DATA SHEET



Revision date: 11-Dec-2013 Version: 2.0 Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: BMD® 60

Trade Name: BMD Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Feed additive

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.

100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: Emergency telephone number:

Contact E-Mail: VMIPSrecords@zoetis.com

2. HAZARDS IDENTIFICATION

Appearance: Light brown solid

Classification of the Substance or Mixture

GHS - Classification

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Warning

Hazard Statements: May form combustible dust concentrations in air

Precautionary Statements: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Other Hazards

Short Term: May cause eye, skin and respiratory tract irritation May cause allergic skin reaction

Australian Hazard Classification Non-Hazardous Substance. Non-Dangerous Goods.

(NOHSC):

4400

Material Name: BMD® 60 Page 2 of 7 Revision date: 11-Dec-2013 Version: 2.0

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | CAS Number | EU | EU Classification | GHS | % |
|-----------------------------|------------|---------------|-------------------|----------------|-------|
| _ | | EINECS/ELINCS | | Classification | |
| | | List | | | |
| Calcium carbonate | 1317-65-3 | 215-279-6 | Not Listed | Not Listed | 21-22 |
| Mineral oil | 8012-95-1 | 232-384-2 | Not Listed | Not Listed | 0-5 |
| Bacitracin, methylenebis[2- | 55852-84-1 | 259-862-3 | Not Listed | Not Listed | 74-77 |
| hydroxybenzoate] | | | | | |

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek **Skin Contact:**

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Symptoms and Effects of

Exposure: Identification and/or Section 11 - Toxicological Information.

Breathing dust may worsen asthma symptoms. **Medical Conditions**

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine particles (such as dust and mists) may fuel fires/explosions. Dust can form an explosive Fire / Explosion Hazards:

mixture in air.

Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear.

Material Name: BMD® 60 Page 3 of 7 Revision date: 11-Dec-2013 Version: 2.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, flame and all other sources of ignition. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Calcium carbonate

| Belgium OEL - TWA Bulgaria OEL - TWA | 10 mg/m ³ 1.0 fiber/cm3 10.0 mg/m ³ |
|---|---|
| Czech Republic OEL - TWA | 10.0 mg/m ³ |
| Estonia OEL - TWA | 10 mg/m ³ |
| | 5 mg/m³ |
| Greece OEL - TWA | 10 mg/m ³ |
| | 5 mg/m ³ |
| Hungary OEL - TWA | 10 mg/m ³ |
| Ireland OEL - TWAs | 10 mg/m ³ |
| | 4 mg/m ³ |
| OSHA - Final PELS - TWAs: | 15 mg/m ³ |
| Romania OEL - TWA | 10 mg/m ³ |
| Slovakia OEL - TWA | 10 mg/m ³ |
| Switzerland OEL -TWAs | 3 mg/m ³ |

Material Name: BMD® 60
Revision date: 11-Dec-2013
Page 4 of 7
Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Mineral oil

ACGIH Threshold Limit Value (TWA) 5 mg/m³ 5 mg/m³ **Australia TWA** 5 mg/m³ **Belgium OEL - TWA** 5.0 mg/m³ **Bulgaria OEL - TWA** 5 mg/m³ Czech Republic OEL - TWA Denmark OEL - TWA 1 mg/m^3 5 mg/m³ **Finland OEL - TWA** 5 mg/m³ **Greece OEL - TWA** Lithuania OEL - TWA 1 mg/m^3 5 mg/m³ **Netherlands OEL - TWA** Vietnam O EL - TWAs 5 mg/m³ 5 mg/m³ **OSHA - Final PELS - TWAs: Poland OEL - TWA** 5 mg/m³ Portugal OEL - TWA 5 mg/m³ Romania OEL - TWA 5 mg/m³ Slovakia OEL - TWA mag 2 1 mg/m^3 5 mg/m³ Spain OEL - TWA 5 mg/m³ Sweden OEL - TWAs 1 mg/m^3

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Bacitracin, methylenebis[2-hydroxybenzoate]

Zoetis OEB OEB 1 (control exposure to the range of 1000ug/m³ to 3000ug/m³)

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:SolidColor:Light brownOdor:Fermentation odorOdor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available

Material Name: BMD® 60 Page 5 of 7 Revision date: 11-Dec-2013 Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Water solubility: Insoluble

Water Solubility: No data available No data available. pH: Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

No data available. **Decomposition Temperature (°C):**

Evaporation Rate (Gram/s): No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available Viscosity: No data available

Flammablity:

No data available Autoignition Temperature (Solid) (°C): Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Stable under normal conditions of use. **Chemical Stability:**

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. Keep away from heat, spark,

flames and all other sources of ignition.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition

Products:

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Toxicological properties of the formulation have not been investigated. The information in this **General Information:**

section describes the potential hazards of the individual ingredients and the formulation.

Bacitracin, methylenebis[2-hydroxybenzoate]

Oral > 10 g/kg LD50 Rat

Mineral oil

Eve Irritation Rabbit Moderate Skin Irritation Rabbit Mild

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA. Carcinogen Status:

SAFETY DATA SHEET

Material Name: BMD® 60 Page 6 of 7
Revision date: 11-Dec-2013 Version: 2.0

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been thoroughly investigated. Releases to the environment

should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
None required

Calcium carbonate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Not Listed

Present

Present

SAFETY DATA SHEET

Material Name: BMD® 60 Page 7 of 7
Revision date: 11-Dec-2013 Version: 2.0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List 215-279-6

Mineral oil

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Bacitracin, methylenebis[2-hydroxybenzoate]

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

259-862-3

16. OTHER INFORMATION

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 9 - Physical and Chemical Properties. Updated Section 10 - Stability and Reactivity. Updated

Section 11 - Toxicology Information. Updated Section 12 - Ecological Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
