# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : HYDREX ™ MV ARCTIC 15

Product code : HDXAR15IBC, HDXAR15P20, HDXAR15DRM,

HDXAR15DCT, HDXAR15, HDXAR15BLK

Manufacturer or supplier's details

Petro-Canada America Lubricants Inc.

115N Oak Park Avenue #1C Oak Park IL 60301-1366

**United States** 

Emergency telephone

number

Suncor Energy: +1 403-296-3000;

Poison Control Centre: Consult local telephone directory for

emergency number(s).

## Recommended use of the chemical and restrictions on use

Recommended use : This product is a hydraulic oil that is formulated for outdoor

equipment that must function at very low temperatures.

Prepared by : Product Safety: +1 905-804-4752

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	viscous liquid
Colour	Pale, straw-yellow.
Odour	Mild petroleum oil like.

#### **GHS Classification**

Acute toxicity (Inhalation) : Category 4

Aspiration hazard : Category 1

## **GHS Label element**

Hazard pictograms :





Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

**Potential Health Effects** 

Primary Routes of Entry : Eye contact

Ingestion Inhalation Skin contact

Aggravated Medical

Condition

: None known.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

## **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Dec-1-ene, dimers, hydrogenated	68649-11-6	70 - 90 %
distillates (petroleum), hydrotreated light	64742-47-8	70 - 90 %
lubricating oils (petroleum), C15-30, hydrotreated	72623-86-0	5 - 10 %

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0	Revision Date 2015/07/23	Print Date 2015/07/23
	_	
neutral oil-based		

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact : In case of contact, immediately flush eyes or skin with plenty

of water for at least 15 minutes while removing contaminated

clothing and shoes.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Wash clothing before reuse.

Seek medical advice.

In case of eye contact : Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Obtain medical attention.

If swallowed : Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

Most important symptoms and effects, both acute and

delayed

: First aider needs to protect himself.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: No information available.

Specific hazards during

firefighting

: Cool closed containers exposed to fire with water spray.

Hazardous combustion

products

: Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), zinc oxides (ZnOx),

calcium oxides (CaOx), smoke and irritating vapours as

products of incomplete combustion.

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.

Page: 3 / 10

™ Trademark of Suncor Energy Inc. Used under licence.

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

Wear a positive-pressure supplied-air respirator with full

facepiece.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.
 Ensure adequate ventilation.
 Evacuate personnel to safe areas.
 Material can create slippery conditions.

Environmental precautions

: If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition.

Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation.

Contact the proper local authorities.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition. Keep container closed when not in use.

Conditions for safe storage

Store in original container.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep in a dry, cool and well-ventilated place.

Keep in properly labelled containers.

To maintain product quality, do not store in heat or direct

sunlight.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No special ventilation requirements. Good general ventilation

should be sufficient to control worker exposure to airborne

contaminants.

#### Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business. Page: 4 / 10

TM Trademark of Suncor Energy Inc. Used under licence.

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Filter type : organic vapour filter

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment

indicates this is necessary.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks : Consult your PPE provider for breakthrough times and the

specific glove that is best for you based on your use patterns. It should be realized that eventually any material regardless of their imperviousness, will get permeated by chemicals. Therefore, protective gloves should be regularly checked for wear and tear. At the first signs of hardening and cracks, they

should be changed.

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Protective measures : Wash contaminated clothing before re-use.

No special protective equipment required.

Hygiene measures : Remove and wash contaminated clothing and gloves,

including the inside, before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : viscous liquid

Colour : Pale, straw-yellow.
Odour : Mild petroleum oil like.

Odour Threshold : No data available

pH : No data available Pour point : -48 °C (-54 °F)

Boiling point/boiling range : No data available

Flash point : 131 °C (268 °F)

Method: Cleveland open cup

Fire Point : No data available

Auto-Ignition Temperature : No data available

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

Evaporation rate : No data available

Flammability : Low fire hazard. This material must be heated before ignition

will occur.

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available

Density : 0.8335 kg/l (15 °C / 59 °F)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity

Viscosity, kinematic : 13.40 cSt (40 °C / 104 °F)

5.16 cSt (100 °C / 212 °F)

Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or

expose containers to heat or sources of ignition.

# **SECTION 10. STABILITY AND REACTIVITY**

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Stable under normal conditions.

Conditions to avoid : No data available

Incompatible materials : Reactive with oxidising agents, acids and alkalis.

Hazardous decomposition

products

May release COx, H2S, methacrylate monomers, aldehydes,

alkyl mercaptans, sulfides, smoke and irritating vapours when

heated to decomposition.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely Eye contact routes of exposure Ingestion

Inhalation Skin contact

## **Acute toxicity**

#### **Product:**

Acute oral toxicity Remarks: No data available

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

Acute inhalation toxicity Remarks: Toxic by inhalation.

Acute dermal toxicity Remarks: No data available

**Components:** 

Dec-1-ene, dimers, hydrogenated:

Acute inhalation toxicity LC50 (Rat): 1.17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

distillates (petroleum), hydrotreated light:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat): > 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks: No data available

**Components:** 

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Result: No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks: No data available

**Components:** 

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Result: No eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

# STOT - repeated exposure

No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

### **Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae : Remarks: No data available

: Remarks: No data available Toxicity to bacteria

# Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

# Bioaccumulative potential

No data available

## Mobility in soil

No data available

### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

Waste must be classified and labelled prior to recycling or

disposal.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of product residue in accordance with the instructions

of the person responsible for waste disposal.

### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulation**

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.

# HYDREX <sup>™</sup> MV ARCTIC 15



### 000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

#### IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **49 CFR**

Not regulated as a dangerous good

**TDG** 

Not regulated as a dangerous good

## Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

OSHA Hazards : No OSHA Hazards

# The components of this product are reported in the following inventories:

**DSL** On the inventory, or in compliance with the inventory

**TSCA** All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory


exemption.

IECSC On the inventory, or in compliance with the inventory
EINECS On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

## **Further information**

# NFPA:



### HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

For Copy of (M)SDS : Internet: lubricants.petro-canada.ca/msds

United States, telephone: 1-800-268-5850; fax: 1-800-201-

6285

For Product Safety Information: 1 905-804-4752

# HYDREX <sup>™</sup> MV ARCTIC 15



000003000786

Version 3.0 Revision Date 2015/07/23 Print Date 2015/07/23

Prepared by : Product Safety: +1 905-804-4752

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.